

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

U.S. Patent No. : 7,416,545  
Issued : August 26, 2008  
Application No. : 09/633,422  
Inventor(s) : Mark James Kline, et al  
Filed : August 7, 2000  
Art Unit : 3761  
Examiner : Dennis Ruhl  
Docket No. : 8194  
Confirmation No. : 3289  
Customer No. : 27752  
Title : Absorbent Article with Improved Fastening System

REQUEST FOR CERTIFICATE OF CORRECTION  
UNDER 37 C.F.R. 1.322

Commissioner for Patents  
Office of Patent Publication  
ATTN: Certificate of Correction Branch  
P. O. Box 1450  
Alexandria, VA 22313-1450

It is requested that the attached Certificate of Correction be issued under 37 CFR 1.322 for the above-identified patent. The mistakes are apparently due to Patent Office printing errors.

Column 14

Line 2, before the word dimension, insert -- x- --. The correct version appears at page 21, line 15 in the specification.


Column 20

Line 61, delete "beaming" and insert --bearing--. The correct version appears at page 13, line 7 in the "Clean Version-Response to Office Action", dated Mar. 15, 2002.

Respectfully submitted,

THE PROCTER & GAMBLE COMPANY

By

  
Charles R. Ware  
Registration No. 54,881  
(513) 983-0498

Date: August 25, 2009  
Customer No. 27752

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**

PATENT NO. : 7,416,545 B1 Page 1 of 1  
APPLICATION NO.: 09/633,422  
ISSUE DATE : Aug. 26, 2008  
INVENTOR(S) : Mark James Kline, et al

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 14

Line 2, before the word dimension, insert -- x- --.

Column 20

Line 61, delete "beaming" and insert --bearing--.

**MAILING ADDRESS OF SENDER:**

Charles R. Ware  
The Procter & Gamble Company  
Intellectual Property Division  
Sycamore Building  
299 East Sixth Street, 4<sup>th</sup> Floor  
Cincinnati, OH 45202

**PATENT NO. 7,416,545 B1**

No. of add'l. copies  
@ 30¢ per page

**P&G Case: 8194**

**Send to: Attention: Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450**